







TIMERS AND CONTROLLERS

FOR AIR HEATERS






FOR COOLANT HEATERS

AVAILABLE FUNCTIONS	FOR AIR HEATERS		FOR COOLANT HEATERS		
	DIGI-MAX CONTROLLER	MINI-CONTROLLER	PROGRAMMABLE TIMER	7 DAY TIMER	MULTI-FUNCTION SWITCH
Programmable Timer			•	•	
Multiple Starts - Day / Week			•		
Ambient Air Temp Sensor	•			Cabin temp sensor	AVAILABLE
Diagnostic Code Retrieval	•			•	
Standard Fan Mode	•	•			
10-Hour Automatic Shutoff	•			2 hour max. programmed run time	
Manual Start Mode	•	•	•	•	•
Program Memory			•	•	
Programmable LVD	•				•
Accepts External Inputs		•		•	AVAILABLE

AIR HEATERS CONTROL OPTIONS AND TIMERS

DESCRIPTION	PART NUMBER	AIRTRONIC D2	AIRTRONIC D4	B1LCC / B3LCC	AIRTRONIC D5	D8LC	HYDRONIC 4/5	HYDRONIC II 5E	HYDRONIC 10 / M	HYDRONIC M-II 8/10/12	HYDRONIC 16/24/30/35
AIR HEATERS											
Digi-Max Controller with Diagnostic 12V & 24V	20 2800 70 1500	•	•		•						
											
Mini Controller 12 and 24 volt	22 1000 32 07 00	•	•		•						
Mini Controller Knob	5699849	•	•		•						
											
Thermostat 12 volt	5670097	•	•	•	•	•					
Thermostat 24 volt	5670096	•	•	•	•	•					
Thermostat Harness (4.6M or 15 feet)	20 2900 70 01 09			•							
Thermostat Knob	2199981										
											
7-Day Timer with Diagnostics 12 and 24 volt	22 1000 30 40 00	•	•	•	•	•					
7-Day Timer Kit	20 2900 70 02 35	•	•	•	•	•					
											
Rheostat Switch 12 volt	25 1895 71 00 00	•	•	•	•	•					
Rheostat Switch 24 volt	25 1896 71 00 00	•	•	•	•	•					
Thermostat Switch Harness (4.6M or 15 feet)	20 2900 70 01 11	•	•	•							
											
Thermostat Bunk Relay Kit 12 volt for Heat Exchanger Blower	20 2900 70 00 97						•	•	•	•	•
Thermostat only (On/Off)	29 2100 30 01 84	•	•	•	•	•	•	•	•	•	•
											

HYDRONIC HEATERS CONTROL OPTIONS AND TIMERS

DESCRIPTION	PART NUMBER	AIRTRONIC D2	AIRTRONIC D4	B1LCC / B3LCC	AIRTRONIC D5	D8LC	HYDRONIC 4/5	HYDRONIC II 5E	HYDRONIC 10 / M	HYDRONIC M-II 8/10/12	HYDRONIC 16/24/30/35
Remote Starter Kit 12 volt (used with 7-Day Timer or EasyStart Timer)	20 2900 70 01 50	•	•	•	•	•	•	•	•	•	•
											
EasyStart T Controller	22 1000 32 88 00	•	•	L	•	L	•	•	•	•	•
											
Remote Temperature Sensor	25 1774 89 03 00	•	•	•	•	•					
Extension Harness for D1LC (1830) and D3LC	25 1482 89 40 00			•							
											
CommandCall Remote Control (works over cell phone network. Needs SIM card.)	25 2800 70 00 10	•	•	•	•	•	•	•	•	•	•
											
7-DAY TIMER ACCESSORIES Complete Bracket Kit with Cosmetic Bezel and Bracket	25 1482 70 01 00	•	•	•	•	•	•	•	•	•	•
Housing for 7-Day Timer	25 1482 89 00 15	•	•	•	•	•	•	•	•	•	•
Replacement Bulbs 12 volt (5/bag)	22 1000 30 94 00										
Replacement Bulbs 24 volt (5/bag)	22 1000 30 89 00										
											

L = Limited Use

1
2
3